

SELF-INSURED SCHOOLS OF CALIFORNIA

PROPERTY & LIABILITY UPDATE

JANUARY 15, 2013

WATER DAMAGE DUE TO FREEZE

Many SISC member districts experience water damage during the winter because of freezing conditions. The purpose of this Update is to provide you with some quick tips and reminders to help prevent your district from becoming a victim of the freezing months.

When the temperature falls below 30°F, especially if it falls below 30°F for several days in a row, the following recommendations will help reduce water damage losses. Additionally, it would be prudent for you to have a designated person check buildings for water damage after a weekend, a holiday, or when a facility is closed for other reasons for an extended period of time.

OUTSIDE AREAS

Large Plumbing Areas: Examples of large plumbing areas are water mains, water pumps, and landscape sprinkler controls. They should be boxed or framed and filled with sawdust or a non-compacted insulation.

Exterior Water Lines: Exterior water lines that serve drinking fountains and evaporative cooler should have insulation where feasible or should be shut off.

INSIDE AREAS

Attic Areas: Even though the building may have good insulation, many times the plumbing runs above the insulation. For buildings or rooms that fall into this category, there are two alternatives. You can either insulate the pipe or keep the heat on at a reduced temperature, but high enough to keep the pipes from freezing.


Walls of Older Buildings: Many times the water pipes are located in the walls but the walls have never been insulated. In these cases, keep the heat on at a reduced temperature, but high enough to keep the pipes from freezing. This will also help protect uninsulated pipes located in the attic.

Tips to Prevent Frozen Pipes

- Insulate all exposed pipes.
- Set heat no lower than 55 degrees Fahrenheit.
- Open cabinet doors under sinks.
- Disconnect garden hoses.

Once a pipe ruptures, extensive water damage can occur in a very short amount of time. A little extra effort along with the minimal expense of insulation can go a long way in protecting the district's buildings and property.

If you have any questions involving this concern, please contact your SISC II Safety representative at (661) 636-4604.



PROPERTY & LIABILITY

ROBERT KRETZMER
DIRECTOR
661.636.4709
rokretzmer@kern.org

ELSA LARA
CLAIMS EXAMINER II
661.636.4736
ellara@kern.org

RYAN BOURGET
ADJUSTER I
661.636.4606
rybourget@kern.org

DUNCAN LOW
COORDINATOR, S.I.
661.636.4863
dulow@kern.org

ROXANN DAILEY-WEBB
ADJUSTER I
661.636.4848
rodailey@kern.org

LILIA MORENTIN
ADMIN. SECRETARY
661.636.4495
limorentin@kern.org

SANDI HARVILLE
SECRETARY II
661.636.4604
saharville@kern.org

SABRINA MOTEN
CLAIMS ASSISTANT
661.636.4414
samoten@kern.org

CAROL RAY
CLAIMS EXAMINER II
661.636.4871
caray@kern.org

HILDA TABORA
CLAIMS EXAMINER I
661.636.4206
hitabora@kern.org

TIM RIDLEY
SAFETY SPECIALIST
661.636.4376
tiridley@kern.org

TY TAYLOR
ADJUSTER II
661.636.4601
tytaylor@kern.org

RANDYE ROGERS
SAFETY SPECIALIST
661.636.4607
rarogers@kern.org

PAT TUMBARELLO
ADJUSTER II
805.929.5950
patumbarello@kern.org

JOE SINGLETARY
SAFETY SPECIALIST
661.636.4605
josingletary@kern.org

VALARIE WAGNER
LEAD CLAIMS EXAMINER
661.636.4694
vawagner@kern.org



2000 K Street
Bakersfield CA 93301
PO Box 1847
Bakersfield CA 93303-1847
Phone: 661-636-4604
Fax: 661-636-4418

[HTTP://SISC.KERN.ORG/PL](http://SISC.KERN.ORG/PL)

SCHOOLS HELPING SCHOOLS